Subject Index

Acadian, 169
α/β quartz inversion, 229
Alpine orogeny, 359
amphibole, 539
amphibolite, 539
amphibolite facies, 515
anatectic granites, 127
anatexis, 619
andalusite, 547
Andes, 487
anticlockwise *P–T* path, 539
Appalachian geology, 407
Archaean crustal thickness, 383
asthenoshere perturbation, 465
Avila Batholith, 619

Barrovian metamorphism, 111
Betic Cordilleras, Spain, 359
blueschist, 57
blueschist facies, 629
breccia veins, 311
British Columbia, 497
bulk chemistry, 425
Bunger Hills, East Antarctica, 449
burial metamorphism, 487

calcic amphibole, 507
Central America, 539
Central Himalaya, 31
Chile, 487
chlorite, 507
chlorite + quartz stability, 567
coaxial shortening, 279
C–O–H equilibria, 497
compression, 449
continent–continent collision, 359
cordierite, 529
crenulation foliation, 407
crustal thickening, 275, 359
crustal thinning, 359

decompression, 383, 465, 599
decrepitation, 229, 243
decrepitation clusters, 243
deformation, 261
deformation chronology, 111
deformation history, 279
deformation partitioning, 151
deformation structures, 359
Devonian, 191
diffusion, 337
disequilibrium reaction, 383
dislocations, 337
dissolution, 425
domal structures, 43

early epidote–amphibolite facies metamorphism, 211
east Antarctica, 323
eastern Himalaya, 95
Ecuador, 487
electron microprobe, 507
exotic blocks, 211
experimental petrology, 567

feldspar, 337
ferric iron, 507
fibrolite, 547
fluid, 529
fluid flow, 425
fluid inclusions, 229, 243
foliation development, 279
Franciscan Complex, California, 211, 629

garnet zoning, 529
garnet zoning pattern, 73
geothermobarometry, 95, 359, 497
geothermometry, 229
gneiss domes, 43
granulites, 583, 599
granulite facies, 449, 465
graphite, 547
Grenville Province, 583

Hazara region, 111
hercynite, 323
High Himalayan Crystallines, 9
Higher Himalaya, 31
high-*P* granulites, 383
Himalayan metamorphism, 9, 19, 31, 43, 57, 73
H_2O diffusion, 243

ilmenite, 323
implosion halos, 243
inclusion trails, 279
Indus Suture Zone, 57
inverted metamorphic gradient, 191
inverted metamorphism, 95, 127
isobaric cooling, 465, 599
isochore, 229

jadeite, 629

K-feldspar triclinicity, 151
KFMASHTO, 323
kinetics, 337
Kishtwar window, 73
Klamath Mountains, California, 515
Klamath province, California, 191
Kohistan island arc, 135
kornerupine, 383

Ladakh, 43, 57
Larsemann Hills, East Antarctica, 465
Lesser Himalaya, 31
Limpopo Belt, 383
low-grade metamorphism, 487, 629
low-pressure granulite facies, 323
low-pressure metamorphism, 169

MacRobertson Land, 323
mafic, 515
Main Central Thrust, 19, 31, 73, 95, 127
Main Mantle Thrust, 111
Maine, 169
MASH, 567
mass accretion, 311
mass balance modelling, 619
mélange, 515
metamorphic facies, 487
metamorphic fluids, 497
metamorphism, 191, 243
metapelites, 73, 95, 547
metaserpentinite, 515
metastability, 547
metastable intermediate, 383

microanalysis, 529
microfracturing, 311
microstructures, 407
microthermometry, 243
migmatites, 619
mineral fractionation index, 619
mylonite, 151, 261
myrmekite, 261

Nanga Parbat–Haramosh massif, 135
Nepal Himalaya, 19
north Pakistan, 111
north-west Himalaya, 73

ophiolite, 515
orogenesis, 279
orogenic model, 279

Panama, 539
paragonite solution models, 497
partial melting, 619
pelitic, 515
Pelona Schist, 507
Peña Negra Anatectic Complex, 619
Peru, 487
petrogenetic grid, 383
plagioclase, 151
plagioclase differentiation index, 619
polymetamorphism, 9
polyphase metamorphism, 73
porphyroblast growth, 279, 407
prograde metamorphism, 407
progressive deformation, 279
Proterozoic orogeny, 449, 465
P–T path, 383, 449, 465
P–T–t models, 407
P–T–t path, 135, 359

pumpellyite, 629

Rand Schist, 507
reaction textures, 383, 583
recrystallization, 151
re-equilibration, 243
regional contact metamorphism, 169
regional metamorphism, 43
retrogression, 599

sapphirine, 383, 583
sillimanite, 547
solid solution, 547
solution transfer, 311, 425
sphalerite geobarometry, 343
statistics, 529
strain-enhanced reaction, 261
stretching, 229, 243
subduction, 191

tectonic exhumation, 407
tectonic inversion, 111
tectonic setting, 487
thermal history, 169
thermal perturbation, 449
thermobarometry, 19, 343

ultramafic, 515

volume loss, 425

western metamorphic belt and Coast Range megalineament, south-east Alaska, 343
whiteschists, 567

Zanskar, 9, 43
Zanskar Shear Zone, 127

Author Index

Aguirre, L., *see* Levi, B.
Azema, J., *see* Tournon, J.

Bakker, H. E., de Jong, K., Helmers, H. & Bierman, C. The geodynamic evolution of the Internal Zone of the Betic Cordilleras (south-east Spain): a model based on structural analysis and geothermobarometry, 359.
Barnicoat, A. C. & Treloar, P. J. Himalayan metamorphism – an introduction, 3.
Bea, F. A method for modelling mass balance in partial melting and anatectic leucosome segregation, 619.
Bell, T. H. & Cuff, C. Dissolution, solution transfer, diffusion versus fluid flow and volume loss during deformation/metamorphism, 425.
Bell, T. H. & Johnson, S. E. The role of deformation partitioning in the deformation and recrystallization of plagioclase and K-feldspar in the Woodroffe Thrust mylonite zone, central Australia, 151.
Bell, T. H. & Johnson, S. E. Porphyroblast inclusion trails: the key to orogenesis, 279.
Biermann, C., *see* Bakker, H. E.
Binns, P. R., *see* Bodnar, R. J.
Blake, M. C., Jr., *see* Moore, D. E.
Bodnar, R. J., Binns, P. R. & Hall, D. L. Synthetic fluid inclusions – VI. Quantitative evaluation of the decrepitation behaviour of fluid inclusions in quartz at one atmosphere confining pressure, 229.
Bodnar, R. J., *see* Sterner, S. M.
Broughton, R. D., *see* Treloar, P. J.

Chamberlain, C. P., Zeitler, P. K. & Jan, M. Q. The dynamics of the suture between the Kohistan Island arc and the Indian plate in the Himalaya of Pakistan, 135.
Clarke, G. L., Powell, R. & Guiraud, M. Low-pressure granulite facies metapelitic assemblages and corona textures from MacRobertson Land, east Antarctica: the importance of Fe_2O_3 and TiO_2 in accounting for spinel-bearing assemblages, 323.
Coward, M. P., *see* Treloar, P. J.
Cuff, C., *see* Bell, T. H.

Day, H. W., *see* Patrick, B. E.
Decker, E. R., *see* de Yoreo, J. J.
de Jong, K., *see* Bakker, H. E.
Delay, F., *see* Paquet, J.
de Roo, J. A. Mass transfer and preferred orientation development during extensional microcracking in slate-belt folds, Elura Mine, Australia, 311.
de Yoreo, J. J., Lux, D. R., Decker, E. R. & Osberg, P. H. The Acadian thermal history of western Maine, 169.
Donato, M. M. Metamorphism of an ophiolitic tectonic mélange, northern California Klamath Mountains, USA, 515.
Droop, G. T. R. Reaction history of garnet–sapphirine granulites and conditions of Archaean high-pressure granulite-facies metamorphism in the Central Limpopo Mobile Belt, Zimbabwe, 383.

Gerya, V., *see* Perchuk, L.
Ghent, E. D., *see* Sevigny, J. H.
Grant, S. M. Tectonic implications from sapphirine-bearing lithologies, south-west Grenville Province, Canada, 583.
Guiraud, M., *see* Clarke, G. L.

Hall, D. L., *see* Bodnar, R. J.
Helmers, H., *see* Bakker, H. E.
Honegger, K., Le Fort, P., Mascle, G. & Zimmermann, J.-L. The blueschists along the Indus Suture Zone in Ladakh, NW Himalaya, 57.
Hubbard, M. S. Thermobarometric constraints on the thermal history of the Main Central Thrust Zone and Tibetan Slab, eastern Nepal Himalaya, 19.

Jacobson, C. E. Estimation of Fe^{3+} from electron microprobe analyses: observations on calcic amphibole and chlorite, 507.
Jamieson, R. A., *see* Plint, H. E.
Jan, M. Q., *see* Chamberlain, C. P.
Johnson, S. E., *see* Bell, T. H.

Kerrick, D. M. & Woodsworth, G. J. Aluminium silicates in the Mount Raleigh pendant, British Columbia, 547.
Kündig, R. Domal structures and high-grade metamorphism in the Higher Himalayan Crystalline, Zanskar Region, northwest Himalaya, India, 43.

Le Fort, P., *see* Honegger, K.
Lemaguer, D., *see* Paquet, J.
Levi, B., Aguirre, L., Nyström, J. O., Padilla, H. & Vergara, M. Low-grade regional metamorphism in the Mesozoic–Cenozoic volcanic sequences of the Central Andes, 487.
Lombardo, B., *see* Pognante, U.
Lux, D. R., *see* de Yoreo, J. J.

Mascle, G., *see* Honegger, K.
Massonne, H.-J. The upper thermal stability of chlorite + quartz: an experimental study in the system $MgO–Al_2O_3–SiO_2–H_2O$, 567.
Mohan, A., Windley, B. F. & Searle, M. P. Geothermobarometry and development of inverted metamorphism in the Darjeeling–Sikkim region of the eastern Himalaya, 95.
Moore, D. E. & Blake, M. C., Jr. New evidence for polyphase metamorphism of glaucophane schist and eclogite exotic blocks in the Franciscan Complex, California and Oregon, 211.

Norris, P. J., *see* Peacock, S. M.
Nozhkin, D., *see* Perchuk, L.
Nyström, J. O., *see* Levi, B.

Osberg, P. H., *see* de Yoreo, J. J.

Padilla, H., *see* Levi, B.
Paquet, J., Delay, F. & Lemaguer, D. Statistical microanalysis applied to garnet growth zoning and to cordierite fluid content, 529.
Patrick, B. E. & Day, H. W. Controls on the first appearance of jadeitic pyroxene, northern Diablo Range, California, 629.
Peacock, S. M. & Norris, P. J. Metamorphic evolution of the Central Metamorphic Belt, Klamath Province, California: an inverted metamorphic gradient beneath the Trinity peridotite, 191.
Pêcher, A. The metamorphism in the Central Himalaya, 31.
Perchuk, L., Gerya, V. & Nozhkin, D. Petrology and retrograde *P–T* path in granulites of the Kanskaya formation, Yenisey range, Eastern Siberia, 599.
Plint, H. E. & Jamieson, R. A. Microstructure, metamorphism and tectonics of the western Cape Breton Highlands, Nova Scotia, 407.
Pognante, U. & Lombardo, B. Metamorphic evolution of the high Himalayan Crystallines in SE Zanskar, India, 9.
Powell, R., *see* Clarke, G. L.
Powell, R., *see* Stüwe, K.

Quigley, J., *see* Yund, R. A.

Rex, A. J., *see* Searle, M. P.

Searle, M. P. & Rex, A. J. Thermal model for the Zanskar Himalaya, 127.
Searle, M. P. *see* Mohan, A.
Sevigny, J. H. & Ghent, E. D. Pressure, temperature and fluid composition during amphibolite facies metamorphism of graphitic metapelites, Howard Ridge, British Columbia, 497.
Simpson, C. & Wintsch, R. P. Evidence for deformation-induced K-feldspar replacement by myrmekite, 261.
Stäubli, A. Polyphase metamorphism and the development of the Main Central Thrust, 73.
Sterner, S. M. & Bodnar, R. J. Synthetic fluid inclusions – VII. Re-equilibration of fluid inclusions in quartz during laboratory-simulated metamorphic burial and uplift, 243.
Stowell, H. H. Silicate and sulphide thermobarometry of low- to medium-grade metamorphic rocks from Holkham Bay, south-east Alaska, 343.
Stüwe, K. & Powell, R. Low-pressure granulite facies metamorphism in the Larsemann Hills area, East Antarctica; petrology and tectonic implications for the evolution of the Prydz Bay area, 465.
Stüwe, K. & Powell, R. Metamorphic evolution of the Bunger Hills, East Antarctica: evidence for substantial post-metamorphic peak compression with minimal cooling in a Proterozoic orogenic event, 449.

Tournon, J., Triboulet, C. & Azema, J. Amphibolites from Panama: anticlockwise *P–T* paths from a Pre-upper Cretaceous metamorphic basement in Isthmian Central America, 539.
Treloar, P. J., Broughton, R. D., Williams, M. P., Coward, M. P. & Windley, B. F. Deformation, metamorphism and imbrication of the Indian plate, south of the Main Mantle Thrust, north Pakistan, 111.
Treloar, P. J., *see* Barnicoat, A. C.
Triboulet, C., *see* Tournon, J.
Tullis, J., *see* Yund, R. A.

Vergara, M., *see* Levi, B.

Williams, M. P., *see* Treloar, P. J.
Windley, B. F., *see* Mohan, A.
Windley, B. F., *see* Treloar, P. J.
Wintsch, R. P., *see* Simpson, C.
Woodsworth, G. J., *see* Kerrick, D. M.

Yund, R. A., Quigley, J. & Tullis, J. The effect of dislocations on bulk diffusion in feldspars during metamorphism, 337.

Zeitler, P. K., *see* Chamberlain, C. P.
Zimmermann, J.-L., *see* Honegger, K.